


Listing of Claims

Claims 1-35 (previously canceled)


36. (previously amended) A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

L is -O-;

M is -CH₂-;



X₁, X₂, X_a, X_b, X_c, X_d, and X_e are independently selected from -C(O)NR₆R₇, -(C₁-C₄ alkyl)-C(O)NR₆R₇, -NR₆R₇, hydroxy(C₁-C₄)alkyl, C₁-C₄ dihydroxyalkyl, H, halogen, haloalkyl, alkyl, haloalkoxy, heteroaryl, heterocycloalkyl, C₃-C₇ cycloalkyl, R₆R₇N-(C₁-C₆ alkyl)-, -CO₂-(C₁-C₆)alkyl, -N(R)C(O)NR₆R₇, -N(R)C(O)-(C₁-C₆)alkoxy, CO₂R-(C₁-C₆ alkyl)-, or -SO₂NR₆R₇; wherein the heteroaryl and heterocycloalkyl groups are optionally substituted with -NR₆R₇, -C(O)NR₆R₇, R₆R₇N-(C₁-C₆ alkyl)-, C₁-C₆ alkyl, C₁-C₆ alkoxy, or halogen; or

R₅ is heteroaryl or heteroarylalkyl, wherein the heteroaryl and heteroaryl groups are optionally substituted with 1,2, 3, or 4 groups that are independently -C(O)NR₆R₇, -(C₁-C₄ alkyl)-C(O)NR₆R₇, -NR₆R₇, hydroxy(C₁-C₄)alkyl, C₁-C₄ dihydroxyalkyl, H, OH, halogen, haloalkyl, alkyl, haloalkoxy, R₆R₇N-(C₁-C₆ alkyl)-, -CO₂-(C₁-C₆)alkyl, -N(R)C(O)NR₆R₇, or -N(R)C(O)-(C₁-C₆)alkoxy; wherein


R_6 and R_7 are independently at each occurrence H, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, C_1 - C_6 alkoxy C_1 - C_6 alkyl, C_1 - C_6 alkoxycarbonyl, OH, C_1 - C_6 hydroxyalkyl, C_1 - C_4 dihydroxyalkyl, C_1 - C_6 thiohydroxyalkyl, $-(C_1-C_4)alkyl-CO_2-alkyl$, pyridyl C_1 - C_6 alkyl, C_1 - C_6 alkanoyl, benzyl, phenyl C_1 - C_6 alkoxy, or phenyl C_1 - C_6 alkanoyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently, halogen, C_3 - C_6 cycloalkyl, C_1 - C_6 alkoxy, piperidinyl C_1 - C_6 alkyl, morpholinyl C_1 - C_6 alkyl, piperazinyl C_1 - C_6 alkyl, OH, SH, NH_2 , $NH(alkyl)$, $N(alkyl)(alkyl)$, $-O-C_1-C_4$ alkanoyl, C_1 - C_4 alkyl, CF_3 , or OCF_3 ; or

R_6 , R_7 , and the nitrogen to which they are attached form a morpholinyl, thiomorpholinyl, piperidinyl, pyrrolidinyl, or piperazinyl ring which is optionally substituted with 1 or 2 groups that are independently C_1 - C_4 alkyl, C_1 - C_4 alkoxy, hydroxy, hydroxy C_1 - C_4 alkyl, C_1 - C_4 dihydroxyalkyl, or halogen;

R at each occurrence is independently H or C_1 - C_6 alkyl; and


Y , Y_1 , Y_2 , Y_3 , and Y_4 are independently selected from H, halogen, alkyl, carboxaldehyde, hydroxyalkyl, dihydroxyalkyl, alkenyl, alkynyl, CN, alkanoyl, alkoxy, alkoxyalkyl, haloalkyl, and carboxyl.

37. (original) The compound according to claim 36 of the formula



or a pharmaceutically acceptable salt thereof.

38. (original) A compound according to claim 37, wherein



Claims 39-49 (canceled)

50. (original) The compound according to claim 38, wherein

X_a is hydrogen;

two of X_b , X_c , and X_d are hydrogen and the other is $-C(O)NR_6R_7$, $-(C_1-C_6 \text{ alkyl})-C(O)NR_6R_7$, $-NR_6R_7$, $R_6R_7N-(C_1-C_6 \text{ alkyl})-$ or $-CO_2-(C_1-C_6 \text{ alkyl})$; wherein

R_6 and R_7 are independently at each occurrence H, C_1-C_6 alkyl, C_1-C_6 alkoxy, C_1-C_6 alkoxy C_1-C_6 alkyl, C_1-C_6 alkoxycarbonyl, OH, C_1-C_6 hydroxyalkyl, C_1-C_6 dihydroxyalkyl, $-(C_1-C_4 \text{ alkyl})-CO_2\text{-alkyl}$, pyridyl C_1-C_6 alkyl, C_1-C_6 alkanoyl, benzyl, phenyl C_1-C_6 alkoxy, or phenyl C_1-C_6 alkanoyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently, halogen, C_3-C_6 cycloalkyl, C_1-C_6 alkoxy, piperidinyl C_1-C_6 alkyl, morpholinyl C_1-C_6 alkyl, piperazinyl C_1-C_6 alkyl, OH, NH_2 , $NH(\text{alkyl})$, $N(\text{alkyl})(\text{alkyl})$, $-O-C_1-C_4$ alkanoyl, C_1-C_4 alkyl, CF_3 , or OCF_3 ; or

R_6 , R_7 , and the nitrogen to which they are attached form a morpholinyl, piperidinyl, pyrrolidinyl, or piperazinyl ring which is optionally substituted with 1 or 2 groups that are independently C_1-C_4 alkyl, C_1-C_4 alkoxy, hydroxy, hydroxy C_1-C_4 alkyl, C_1-C_4 dihydroxyalkyl, or halogen; and

X_e is hydrogen, methyl, C_1-C_2 alkoxy, or halogen.

51. (original) The compound according to claim 50, wherein

X_b is $-C(O)NR_6R_7$, $-(C_1-C_6 \text{ alkyl})-C(O)NR_6R_7$, $-NR_6R_7$, or $R_6R_7N-(C_1-C_6 \text{ alkyl})-$ wherein

R_6 is hydrogen or C_1-C_4 alkyl;

R_7 is OH, C_1-C_6 alkyl or C_1-C_6 alkanoyl, wherein the alkyl and alkanoyl groups substituted with 1, 2, or 3 groups that are independently NH_2 , $NH(C_1-C_6 \text{ alkyl})$, $N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, C_3-C_6 cycloalkyl, OH, or C_1-C_4 alkoxy.

52. (original) The compound according to claim 38, wherein

X_a is halogen or methyl;

X_b is H, $-NR_6R_7$, $R_6R_7N-(C_1-C_6 \text{ alkyl})-$, $-C(O)NR_6R_7$, or $-CO_2-(C_1-C_6)\text{alkyl}$;

X_c is $-NR_6R_7$, $R_6R_7N-(C_1-C_6 \text{ alkyl})-$, $-C(O)NR_6R_7$, halogen, $-CO_2-(C_1-C_6)\text{alkyl}$, NH_2 , $NH(C_1-C_6 \text{ alkyl})$, $N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, $-SO_2NH_2$, $-SO_2NH(C_1-C_6 \text{ alkyl})$, $-SO_2N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, or piperazinyl, wherein the piperazinyl group is optionally substituted with 1 or 2 groups that are independently C_1-C_4 alkyl, C_1-C_4 alkoxy, hydroxy, hydroxy C_1-C_4 alkyl, C_1-C_4 dihydroxyalkyl, or halogen;

X_d is hydrogen; and

X_e is H, methyl, NH_2 , $NH(C_1-C_6 \text{ alkyl})$ or $N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$.

53. (original) The compound according to claim 38, wherein

X_1 , X_2 , X_a , X_b , X_c , X_d , and X_e are independently selected from H, OH, halogen, CF_3 , alkyl, OCF_3 , pyridyl, pyridazinyl, pyrimidyl, pyrazinyl, thienyl, furyl, pyrrolyl, piperidinyl, piperazinyl, or C_3-C_7 cycloalkyl, wherein each of the above is optionally substituted with $-NR_6R_7$, $-C(O)NR_6R_7$, $-(C_1-C_4 \text{ alkyl})-C(O)NR_6R_7$, $R_6R_7N-(C_1-C_6 \text{ alkyl})-$, C_1-C_6 alkyl, C_1-C_6 alkoxy, or halogen.

54. (original) The compound according to claim 37, wherein

R_5 is a heteroaryl or heteroarylalkyl group, where each heteroaryl is pyrazolyl, imidazolyl, furanyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, pyrazolyl, imidazolyl, dihydroindolyl, dihydroisoindolyl, indolon-2-yl, quinolinyl, isoquinolinyl, tetrahydroisoquinolinyl, dihydroisoquinolinyl, or indolyl, each of which is optionally substituted with 1, 2, 3, or 4 groups that are independently $-C(O)NR_6R_7$, $-(C_1-C_4 \text{ alkyl})-C(O)NR_6R_7$, $-NR_6R_7$, hydroxy(C_1-C_4)alkyl, C_1-C_4 dihydroxyalkyl, hydrogen, hydroxy, halogen, haloalkyl, alkyl, haloalkoxy, $R_6R_7N-(C_1-C_6 \text{ alkyl})-$, $-CO_2-(C_1-C_6)\text{alkyl}$, $-N(R)C(O)NR_6R_7$, or $-N(R)C(O)-(C_1-C_6)\text{alkoxy}$; wherein

R_6 and R_7 are independently at each occurrence H, C_1-C_6 alkyl, C_1-C_6 alkoxy, C_1-C_6 alkoxy C_1-C_6 alkyl, C_1-C_6 alkoxycarbonyl, OH, C_1-C_6 hydroxyalkyl, C_1-C_6 dihydroxyalkyl, C_1-C_6 thiohydroxyalkyl, $-(C_1-C_4)\text{alkyl}-CO_2\text{-alkyl}$, pyridyl C_1-C_6 alkyl, C_1-C_6 alkanoyl, benzyl, phenyl C_1-C_6 alkoxy, or phenyl C_1-C_6 alkanoyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently, halogen, C_3-C_6 cycloalkyl, C_1-C_6 alkoxy, piperidinyl C_1-C_6 alkyl, morpholinyl C_1-C_6

alkyl, piperazinyl C₁-C₆ alkyl, OH, SH, NH₂, NH(alkyl), N(alkyl)(alkyl), -O-C₁-C₄ alkanoyl, C₁-C₄ alkyl, CF₃, or OCF₃.

55. (original) The compound according to claim 54, wherein

Y₂, Y₄, and Y are independently halogen; and

Y₁ and Y₃ are both hydrogen.

56. (original) The compound according to claim 55, wherein

X₁ and X₂ are independently H, methyl, -NR₆R₇, R₆R₇N-(C₁-C₆ alkyl)-, -C(O)NR₆R₇, -(C₁-C₄ alkyl)-C(O)NR₆R₇, C₁-C₆ hydroxyalkyl, C₁-C₆ dihydroxyalkyl, or -(C₁-C₄ alkyl)-morpholinyl.

57. (original) The compound according to claim 56, wherein

R₅ is pyridyl C₁-C₆ alkyl, pyrimidinyl C₁-C₆ alkyl, or pyrazinyl C₁-C₆ alkyl, each of which is optionally substituted with 1, 2, or 3 groups that are independently hydroxy(C₁-C₄)alkyl, C₁-C₄ dihydroxyalkyl, OH, halogen, CF₃, (C₁-C₄)alkyl, OCF₃, -NR₆R₇, -(C₁-C₄ alkyl)-C(O)NR₆R₇, R₆R₇N-(C₁-C₆ alkyl)-, or -C(O)NR₆R₇.

Claims 58-70 (previously canceled)

71. (currently amended) The compound according to claim 13 ~~33~~ **38** selected from the group consisting of:

3-[5-Bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N,4-dimethylbenzamide; Methyl 3-[4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate; Methyl 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate; 3-[5-Bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide; 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-(methylthio)-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(-) 3-[5-Bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N,4-dimethylbenzamide;

(+) 3-[5-Bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N,4-dimethylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[aminocarbonyl]methyl}benzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[aminocarbonyl]methyl}benzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2,3-dihydroxypropyl]-4-methylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2,3-dihydroxypropyl]-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*R*)-2,3-dihydroxypropyl]-4-methylbenzamide;

(±) N-[(1*S*)-1-(aminocarbonyl)ethyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(-) N-[(1*S*)-1-(aminocarbonyl)ethyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(+) N-[(1*S*)-1-(aminocarbonyl)ethyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(1*R*)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(1*S*)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*S*)-2-hydroxypropyl]-4-methylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*S*)-2-hydroxypropyl]-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*S*)-2-hydroxypropyl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*R*)-2-hydroxypropyl]-4-methylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*R*)-2-hydroxypropyl]-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2*R*)-2-hydroxypropyl]-4-methylbenzamide;

(±) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(-) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(+) 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(±) N-[(1S)-1-(aminocarbonyl)propyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(-) N-[(1S)-1-(aminocarbonyl)propyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

(+) N-[(1S)-1-(aminocarbonyl)propyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[1-(aminocarbonyl)methyl]-4-methylbenzamide;

3-[4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

N-[(1S)-1-(aminocarbonyl)ethyl]-3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(1S)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(1R)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[1-(aminocarbonyl)methyl]-N,4-dimethylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2,3-dihydroxypropyl]-4-methylbenzamide;

N-[(1R)-1-(aminocarbonyl)-2-hydroxyethyl]-3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

N-[(1R)-1-(aminocarbonyl)ethyl]-3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(1S)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(1R)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N,4-dimethylbenzamide;

N-[1-(aminocarbonyl)methyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

N-[(1R)-1-(aminocarbonyl)ethyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

N-[(1S)-1-(aminocarbonyl)propyl]-3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2-hydroxypropyl]-4-methylbenzamide;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2-hydroxypropyl]-4-methylbenzamide;

5-chloro-6-[(2,4-difluorobenzyl)oxy]-3-(5-[[[(3S)-3-hydroxypyrrolidin-1-yl]carbonyl]-2-methylphenyl]pyrimidin-4(3H)-one;

3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-(2-methoxyethyl)-4-methylbenzamide;

5-chloro-6-[(2,4-difluorobenzyl)oxy]-3-(5-[[[(3R)-3-hydroxypyrrolidin-1-yl]carbonyl]-2-methylphenyl]pyrimidin-4(3H)-one;

3-[4-[(2,4-difluorobenzyl)oxy]-5-ethyl-6-oxopyrimidin-1(6H)-yl]-N-[(1R)-2-hydroxy-1-methylethyl]-4-methylbenzamide;

methyl 3-[4-[(2,4-difluorobenzyl)oxy]-5-iodo-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate;

methyl 3-[4-[(2,4-difluorobenzyl)oxy]-5-ethyl-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate;

3-[4-[(2,4-difluorobenzyl)oxy]-5-ethyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-(methylamino)-6-oxopyrimidin-1(6H)-yl]-N,4-dimethylbenzamide;

methyl 3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-(methylamino)-6-oxopyrimidin-1(6H)-yl]-4-methylbenzoate;

N-[1-(aminocarbonyl)methyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-(methylamino)-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-(methylamino)-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2,3-dihydroxypropyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2,3-dihydroxypropyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

N-[(1S)-1-(aminocarbonyl)ethyl]-3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2-hydroxypropyl]-4-methylbenzamide;

3-[5-bromo-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2-hydroxypropyl]-4-methylbenzamide;

(±) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(-) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(+) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide;

(±) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[aminocarbonyl]methyl}benzamide;

(-)3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[aminocarbonyl]methyl}benzamide;

(±) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

(±) 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-4-methyl-N-{1-[(methylamino)carbonyl]methyl}benzamide;

± 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2S)-2-hydroxypropyl]-4-methylbenzamide;

± 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]-N-[(2R)-2-hydroxypropyl]-4-methylbenzamide;

3-benzyl-6-(benzyloxy)-5-bromopyrimidin-4(3H)-one;

3-benzyl-6-(benzyloxy)-pyrimidin-4(3H)-one; 4-{[5-bromo-4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]methyl}-N-methylbenzamide; and methyl 4-{[4-[(2,4-difluorobenzyl)oxy]-2-methyl-6-oxopyrimidin-1(6H)-yl]methyl}benzoate;

or pharmaceutically acceptable salt thereof.

72. (previously amended) A pharmaceutical composition comprising a compound of claim 71, or a pharmaceutically acceptable salt thereof, in a pharmaceutically acceptable carrier.

73. (previously amended) A method of treating arthritis in a subject, the method comprising treating a subject in need thereof with a therapeutically-effective amount of a compound of Claim 71; or a pharmaceutically acceptable salt thereof.

74. (previously amended) A method of treating rheumatoid arthritis in a subject, the method comprising treating a subject in need thereof with a therapeutically-effective amount of a compound of Claim 71; or a pharmaceutically acceptable salt thereof.

75. (previously amended) A method of treating asthma in a subject, the method comprising treating a subject in need thereof with a therapeutically-effective amount of a compound of Claim 71; or a pharmaceutically acceptable salt thereof.

76. (previously amended) A method of treating chronic obstructive pulmonary disease (COPD) in a subject, the method comprising treating a subject in need thereof with a therapeutically-effective amount of a compound of Claim 71; or a pharmaceutically acceptable salt thereof.

77. (new) A compound which is 3-[5-chloro-4-[(2,4-difluorobenzyl)oxy]-6-oxopyrimidin-1(6H)-yl]-N-(2-hydroxyethyl)-4-methylbenzamide or a pharmaceutically acceptable salt thereof.